Publishable Summary for 16NRM02 SURFACE
Pavement surface characterisation for smart and efficient road lighting

Overview

The knowledge of the so called luminance coefficient q (ratio between the luminance of the road surface and the illuminance on it for given directions of illumination and observation) is an unavoidable requirement for designing road lighting installations able to ensure that road luminance is adequate for visual conditions, energy consumption and traffic safety according to standard requirements. *SURFACE* will provide the necessary metrological support to the European standardisation process with validated, optimised and reliable geometrical conditions for the measurement of q as well as reference data representative of current road pavements, useful for smart and efficient road lighting system design.

Need

Presently in Europe about 40% of the 5.5 million kilometres of roads has lighting. Current EU standards on road lighting (i.e. EN 13201 series 2-5) seek to establish road luminance values able to satisfy quantitative and qualitative performances in terms of safety, visual appearance and energy consumption. Thus the weighting and spacing of a road lighting system (i.e. flux installed per kilometre) is calculated accordingly and ensures compliance with the suggested luminance values of the assigned road class. Usually the design of those lighting systems (e.g. the definition of installation layout, luminous intensity, distribution of luminaires, and luminous flux installed per kilometre or power density indicator) considers reference weighted q data (r-tables) of road surface.

In the EN 13201 Road lighting Standard series, r-tables provide values only for the necessary incident and view directions and the q data for those directions are missing. A lighting engineer adopts as de facto standard values, the q values published in CIE documents. However these data are based on measurements performed on concrete samples more than 40 years ago without traceability and uncertainty evaluation. Recent studies have shown that using CIE data as reference leads to large errors (on average over 30 %, but up to 50 % in worst case) on expected road luminance. Moreover, the photometric properties of road materials have evolved over time as well as the road lighting systems (i.e. LED sources, adaptive systems and smart lighting systems). Such an evolving situation requires the definition of new values of q and an upgrade of the reference directions for its measurement. To ensure EU targets on Energy Saving and Road Safety are met it is time now to improve q reference data and reference geometries through a large metrological research review of basic concepts and a measurement campaign.

Objectives

The goal of this project is to address the current deficiencies in European Standards regarding (i) the definition and characterisation of the road surface photometry, (ii) traceable measurement and characterisation methods for road surface characteristics and (iii) traceable reference data for photometric tables useful in the design process of road lighting installations. The results will be used by CEN TC169/WG12 in the next revision of EN 13201 series, and by CIE TC4-50 in the revision of pertinent CIE publications.

The specific objectives are:

1. To develop optimised measurement geometries for the characterisation of photometric quantities for road surface materials to support EN 13201 'Road Lighting' and its future revisions.

2. To produce technical and metrological specifications for instruments used to measure luminance and reduced luminance coefficients of road surfaces in laboratories or on-site, including

---

methodologies for calibration, establishing traceability and evaluating the measurement uncertainty.

3. To develop pre-normative guidelines for measurement methods and procedures, for the future evolution of European standards to include aspects such as mesopic visual conditions (CIE191:2010), reduced obtrusive light and reduced light pollution of road lighting installations.

4. To develop pre-normative guidelines for photometric characterisation of road and pavement surfaces, including factors such as aging of road surfaces, wet conditions, spectral properties, diffusion of adaptive lighting systems (smart lighting), luminaire luminous intensity distribution and effects of measurement uncertainty in tolerance calculations.

5. To contribute to the standards development works of the technical committees CEN TC169/WG12 and CIE TC4-50 through the provision of data, methods, guidelines and recommendations. In particular to provide traceable data related to new geometries and materials for inclusion in updated photometric tables of pavements in the international CIE database. To ensure that the outputs of the project are aligned with their needs, results will be communicated quickly to those developing the standards and to those who will use them (e.g. lighting engineers, road designers), and in a form that can be incorporated into the standards at the earliest opportunity.

Progress beyond the state of the art

Although the luminance coefficient, q, is a quantity for characterising the spatial reflectance behaviour of a material, the measurement of q of road surface for all possible directions of illumination and view is not necessary for a Road Lighting Standard, but a sub-set of useful directions for current and future smart lighting systems shall be clearly established. Actually the available reference directions were established at the time of measurement of the reference data, based on the luminaire, traffic conditions and design approaches of that age. Therefore this project tackles the need for the new directions of illumination and view that are most significant and useful in the design of road lighting systems with Solid State Lighting (SSL), in adaptive lighting, for improved glare evaluation, as well as considering new vision models, the complexity of traffic conditions and obtrusive lighting.

Available commercial measurement devices for measuring luminance lack a clear assessment of photometric and geometrical performance. In addition measurement guidelines are not available; the reliability of measurements is unknown and the uncertainty difficult to evaluate. The development of reference materials will establish traceability and provide an opportunity to verify measurement procedures and uncertainty calculations. These reference materials will allow the performance of the first comparison on measurement of luminance coefficient in the last 20 years and to ensure the traceability of the road characterisation metrology infrastructure in the EU.

New revisions and future editions of the EN road lighting standard series need to enlarge the scenario of aspects to be included in road lighting in order to achieve higher Energy Saving and Road Safety and to reduce the Environmental Impact of road lighting systems. The project will provide research results and guidelines about the influence of road surface ageing (installation overdimension), spectral properties (mesopic vision), and wet/dry conditions (adaptive systems). The CIE Expert Symposium on Road Surface Photometry and CIE TC4-50 stated that no guidelines on measurement methods and sample management and alignment are currently available. Without standard measurement guidelines the reliability of measurements is unknown and their measurement uncertainty difficult to evaluate. *SURFACE* guidelines will also describe measurement methods and handling as well as specifications for new vision models, tolerance analysis and quality parameters.

Results

The joint research project *SURFACE* will develop the necessary metrological research and infrastructure, i.e. measurement methodologies, reference data, new geometries and reference materials for instrument calibration to enable European Standardisation organisations to achieve more efficient, more sustainable and safer road lighting design by the new edition or revision of EN standards that will be used by EU night-time road users.

16NRM02 SURFACE

This project will select a new set of geometries able to represent the directions of illumination and view that are most useful and significant for Solid State Lighting (SSL) and adaptive lighting design, in glare evaluation and for new vision models.

It will provide specific guidelines on: metrological requirements for instruments, measurement procedures (including sampling and handling), calibration and uncertainty evaluation, methods for evaluating the influence of ageing, of spectral properties and of wet conditions.

It will ensure the necessary traceability and uncertainty of the European Metrology Infrastructure and Instrument manufacturers, through a measurement comparison based on new Reference Materials that will be developed ad hoc as well as one dedicated CC open source software for uncertainty calculations.

SURFACE will provide to Standardisation Organisation and to CIE, new reference data for q of actual road surface, with an uncertainty statement, for current EN 13201 q reference geometries and for future reference geometries.

At the end of the project the EU market will have the benefit of Certified Reference Material for calibrating road surface measuring instruments and of a prototype of a portable measuring instrument for the new geometries.

Impact

The project supports EN 13201 'Road Lighting' and its future revisions, and contributes to the standards development works of the technical committees CEN TC169/WG12 and CIE TC4-50.

The *SURFACE* reference data of actual (and upcoming) road materials will allow lighting designers to meet the normative energy savings and quality parameters as per the EU's commitment to cut energy consumption by 20 % by 2020. It will also strengthen the turnover of old lighting luminaires into new SSL luminaires and the introduction of adaptive and smart lighting systems allowing energy savings up to 70 %. The q reference data of actual road surface are an unavoidable need for the design of safer roads and the implementation of EU Road Safety Action trough the improvement of EU road Infrastructures.

The initial version of a portable instrument, the development of Certified Reference Material as well as software for uncertainty evaluation will push forward the market for developing new and adequate laboratory and portable measuring instruments for the characterisation of road surface as requested in EN 13201 standard series and never implemented due to an actual lack in metrological infrastructure.

The file format of luminance coefficient data as well as the data itself will be assimilated by the lighting engineering community and designers by using Creative Commons (CC) policy for the dissemination of relevant material and results.

The guidelines on measurement uncertainty and measurement methodologies, and the planned comparison will improve the measuring capabilities of NMI goniophotometers for road surfaces.

The scientific community will receive new contributions via CIE TC4-50 and TC4-51. Two symposia/workshop on road surface characterisation are planned: one at the start of the project to endorse the project and stakeholder committee and one at the end of the project to disseminate the results under the aegis of CIE. Several papers on the results of the project will also be published in target end user journals and presented at scientific conferences.

The results will be used:

- by CEN TC169/WG12 in the next revision of EN 13201 series (mainly part 3) or as an addendum;

- by CIE TC4-50 and TC4-51, for improving reference tables and guidelines;

- by National Standards Organisations, like the Italian UNI GL5 for standard UNI 11248, AFNOR for France, EVS for Estonia, SIS for Sweden and SNV for Switzerland.

16NRM02 SURFACE

Project start date and duration:	1 July 2017, 36 Months	
Coordinator: Paola Iacomussi, INRIM Tel:+39 011 3919 228 E-mail: p.iacomussi@inrim.it Project website address: www.surface-nrm02.eu		
Internal Funded Partners: 1 INRIM, Italy 2 AALTO, Finland 3 LNE, France 3 METROSERT, Estonia 5 RISE, Sweden	External Funded Partners: 6 CEREMA, France	Unfunded Partners: 7 METAS, Switzerland 8 OPTIS, France 9 ZEHNTNER, Switzerland